

DEAF AND DUMB CLINIC

Template for Minimum standards for Clinics/Polyclinics	Minimum Standards	Remarks
1 Definition	General/ Specialist	
2 Scope		
Services Provided	Clinical ENT evaluation, audiometry, (Optional Speech therapy)	
3 Physical Infrastructure		
a. Space requirement		
i. Reception	Yes	M-mandatory
ii. consultation/waiting area	Yes	M-mandatory
4 Human resources		
Doctors	MS /DNB/DLO ENT provide cover	M
Tech staff	AUDIOLOGIST/Speech Pathologist-1(BSc Audiology)	D
Non Tech staff	Attendant-1	
Duty and salary roster	Yes	D
OTHER REQUIREMENT LIKE PERIODIC HEALTH CHECK UPS,vaccination of staff in lab,bld bank,TLD badges	Yes	D
5 Equipment		
Stethoscope	Yes	M-mandatory
Thermometer	Yes	M-mandatory
BP Apparatus	Yes	M-mandatory
	Speculum,ENT Tray,Portable light-1,suction machine-1,audiometry machine-1, Tympanometry machine-1(Optional)	M-mandatory; ENT Tray -Tongue depressor-10,Thudiculumnasal speculum-10,Aural speculum-10(different sizes),Tilley's forcep,Indirect laryngoscopy mirror-5,posterior rhinoscopy mirrors-5,wax probe-2,Alligators forcep-5,Eustachian tube catheter-1,spirit lamp-1,suction tip connector-1,suction tips(different sizes)-5

	Emergency kit and medicine)Emergency Kit ; medicine saline and xylometazolidine nasal drops, antibiotic and anti -fungal ear drops,betadine gargle, antihistamine, 10% xylocaine spray,betadine solution.	Emergency Kit -Killians Nasal speculum-1,Tilley's Forcep-1,Tongue depressor-1,Bowl-1,Nasal packs-anterior-2,posterior-2
	List of Disposables	sterile gauze pieces, gloves, dressing, adhesive	M
	Annual maint of equipt	Yes	D
	6 support services		
	sterlization/CSSD	Table top boiler/Autoclave-1	M
	security	Yes	M
	BMW management	Yes	M
	Laundry	Yes	own/outsourced
	7 Standard on basic processes		
	a.Receiving patients,privacy for patients while examining especially females	Yes	M-mandatory
	b.Infection control practices	Yes	M-mandatory
	soap and wate r	Yes	M
	facilities for hand washing and disinfection	Yes	M
	Disinfection of work Area	Yes	M
	Use of disposable services	Yes	M
	small autoclave	Yes	M
	facilities for sterlization	Yes	M
	c.Policy on outsourced services	Yes	D-Desirable